

SFG Foray Report, Comer Wood, Dudmaston 13.11.22

FUNGUS NAME	ENGLISH NAME	SUBSTRATE/HABITAT
<i>Aleuria aurantia</i>	Orange Peel Fungus	Woodland paths
<i>Amanita gemmata</i>	Jewelled Amanita	Usually with conifers
<i>Amanita muscaria</i> var. <i>muscaria</i>	Fly Agaric	Often with birch, also conifers
<i>Amanita rubescens</i> var. <i>rubescens</i>	Blusher	Often with conifers
<i>Armillaria mellea</i>	Honey Fungus	Parasitic on broadleaf trees
<i>Atheniella flavoalba</i>	Ivory Bonnet	Grassy woodland edges
<i>Auriscalpium vulgare</i>	Earpick Fungus	On conifer litter
<i>Biscogniauxia nummularia</i>	Beech Tarcrust	On fallen branches of beech
<i>Bisporella citrina</i>	Lemon Disco	On rotting wood of broadleaf trees
<i>Bulgaria inquinans</i>	Black Bulgar	On felled oak/beech/sweet chestnut
<i>Calocera cornea</i>	Small Stagshorn	On rotting wood of broadleaf trees
<i>Calocera viscosa</i>	Yellow Stagshorn	On conifer stumps/roots
<i>Cerioporus leptocephalus</i>	Blackfoot Polypore	Often on fallen beech wood
<i>Chondrostereum purpureum</i>	Silverleaf Fungus	On dead deciduous wood
<i>Clavulina rugosa</i>	Wrinkled Coral	On litter in woodland
<i>Clitocybe fragrans</i>	Fragrant Funnel	On litter in mixed woodlands
<i>Clitocybe metachroa</i>	Twotone Funnel	All kinds of woodland
<i>Clitocybe nebularis</i>	Clouded Funnel	All kinds of woodland
<i>Clitocybe odora</i>	Aniseed Funnel	Usually under beech
<i>Clitopilus prunulus</i>	The Miller	Grassy clearings deciduous woods
<i>Crepidotus epibryus</i>	Grass Oysterling	On stems of dead grass etc
<i>Dacrymyces stillatus</i>	Common Jellyspot	On rotting wood of all types of trees
<i>Daedaleopsis confragosa</i>	Blushing Bracket	Often of willow
<i>Dermoloma cuneifolium</i>	Crazed Cap	Unimproved grassland
<i>Gymnopilus penetrans</i>	Common Rustgill	Usually on rotting conifer wood
<i>Gymnopus dryophilus</i>	Russet Toughshank	All kinds of woodland with oak
<i>Hemimycena lactea</i>	Milky Bonnet	Litter in woodlands/conifer needles
<i>Heterobasidion annosum</i>	Root Rot	Parasitic on lower trunks of conifers
<i>Hygrophoropsis aurantiaca</i>	False Chanterelle	Usually in conifer woods
<i>Hymenopellis radicata</i>	Rooting Shank	On buried rotting wood
<i>Hypholoma fasciculare</i> var. <i>fasciculare</i>	Sulphur Tuft	On dead deciduous wood
<i>Hypomyces chrysospermus</i>	Bolete Mould	On boletes
<i>Hypoxyton fragiforme</i>	Beech Woodward	On fallen branches of beech

<i>Imleria badia</i>	Bay Bolete	Most often under pines
<i>Jackrogersella multiformis</i>	Birch Woodwart	On fallen branches of birch
<i>Kuehneromyces mutabilis</i>	Sheathed Woodtuft	On rotting wood of broadleaf trees
<i>Laccaria amethystina</i>	Amethyst Deceiver	Leaf litter all types of woodlands
<i>Laccaria laccata</i>	Deceiver	Leaf litter all types of woodlands
<i>Lactarius hepaticus</i>	Liver milkcap	Usually in conifer woods
<i>Lactarius subdulcis</i>	Mild Milkcap	Usually under beech
<i>Lactarius tabidus</i>	Birch Milkcap	With birch
<i>Lactarius turpis</i>	Ugly Milkcap	With birch
<i>Lepiota cristata</i>	Stinking Dapperling	Mixed woodlands
<i>Lepista nuda</i>	Wood Blewit	Leaf litter in mixed woodlands
<i>Leucogyrophana mollusca</i>		On decaying wood of broadleaf trees
<i>Marasmiellus confluens</i>	Clustered Toughshank	Litter in conifer woods
<i>Marasmiellus peronatus</i>	Wood Woollyfoot	Leaf litter beneath broadleaf trees
<i>Melanotus horizontalis</i>	Wood Oysterling	Both conifer & deciduous tree stumps
<i>Mucilago crustacea</i> var. <i>crustacea</i>		Usually on damp grass
<i>Mycena galopus</i> var. <i>galopus</i>	Milking Bonnet	Leaf litter in mixed woodlands
<i>Mycena pelianthina</i>	Blackedge Bonnet	In broadleaf woodland
<i>Mycena rosea</i>	Rosy Bonnet	Leaf litter in mixed woodlands
<i>Mycena vitilis</i>	Snapping Bonnet	In broadleaf woodlands
<i>Nectria cinnabarina</i>	Coral Spot	Usually on beech twigs
<i>Otidea onotica</i>	Hare's Ear	Among moss in broadleaf woodlands
<i>Panellus stipticus</i>	Bitter Oysterling	On dead hardwood
<i>Paralepista flaccida</i>	Tawny Funnel	All kinds of woodland
<i>Paxillus involutus</i>	Brown Rollrim	Often with birch
<i>Pleurotus dryinus</i>	Veiled Oyster	Dead broadleaf wood
<i>Pluteus cervinus</i>	Deer Shield	Woody debris of broadleaf trees
<i>Postia caesia</i>	Conifer Blueing Bracket	On fallen conifer branches
<i>Postia ptychogaster</i>	Powderpuff Bracket	On rotting conifer wood
<i>Postia subcaesia</i>	Blueing Bracket	On wood of broadleaf trees
<i>Psathyrella laevisissima</i>	Slender Stump Brittlestem	On decaying hardwood oak/beech
<i>Rhizomarasmius setosus</i>	Hairy Stem Parachute	On dead beech leaves
<i>Rhodocollybia butyracea</i>	Butter Cap	Unimproved grassland
<i>Rhodocollybia maculata</i>	Spotted Toughshank	On conifer litter
<i>Rhytisma acerinum</i>	Sycamore Tarspot	Sycamore leaves
<i>Rickenella fibula</i>	Orange Moss-cap	Among moss in broadleaf woodlands

Russula fellea	Geranium Brittle Gill	Often with beech
Russula fragilis var. fragilis	Fragile Brittle Gill	In broadleaf woodland
Russula grisea	False Charcoal Burner	With conifers
Russula ochroleuca	Ochre Brittle Gill	All kinds of woodland
Stereum rameale		Dead hardwood trees/beech
Stereum rugosum	Bleeding Broadleaf Crust	On hardwoods
Strobilurus esculentus	Sprucecone Cap	On conifer cones
Suillus granulatus	Weeping Bolete	With conifers
Thelephora terrestris	Earthfan	With conifers
Trametes versicolor	Turkeytail	Usually on dead hardwood trees
Trichaptum abietinum	Purplepore Bracket	On conifer
Xerocomellus chrysenteron	Red Cracking Bolete	Usually with conifers
Xylaria hypoxylon	Candlesnuff Fungus	On rotting wood of broadleaf trees